









Report No. A2200138061101001

Applicant HOTDISPLAY TECHNOLOGY CO., LTD

Address JHZ S&T BUSSINESS PARK JINLONG ROAD BAOLONG INDUSTRIAL CITY LONGGANG

SHENZHEN(518118)

The following sample(s) and sample information was/were submitted and identified by/on the behalf of the client

TFT MODULE Sample Name

Part No. **TFT**

Sample Received Date May 16, 2020

Testing Period May 16, 2020 to May 20, 2020

As specified by client, to test Lead(Pb), Cadmium(Cd), Mercury(Hg), Hexavalent **Test Requested**

> Chromium(Cr(VI)), Polybrominated Biphenyls(PBBs), Polybrominated Diphenyl Ethers (PBDEs), Phthalates (DBP, BBP, DEHP, DIBP) in the submitted sample(s).

Test Method Please refer to the following page(s).

Test Result(s) Please refer to the following page(s).

cliffenting International Group Co., Ltd.

Hill Zheng

Date

Reviewed by

May 20, 2020

No. R179751670

Technical Manager

CTI Building, Xing Dong Community, Xin'an Sub-district, Bao'an District, Shenzhen City, Guangdong Province, P.R. China



Report No. A2200138061101001

Page 2 of 7

Test Method

Test Item(s)	Test Method	Measured Equipment(s)
Lead(Pb)	IEC 62321-5:2013	ICP-OES
Cadmium(Cd)	IEC 62321-5:2013	ICP-OES
Mercury(Hg)	IEC 62321-4:2013+AMD1:2017 CSV	ICP-OES
Hexavalent Chromium(Cr(VI))#	IEC 62321-7-2:2017 and/or determination of Total Chromium by IEC 62321-5:2013	UV-Vis/ICP-OES
Polybrominated Biphenyls(PBBs) #	IEC 62321-6:2015	GC-MS
Polybrominated Diphenyl Ethers (PBDEs) #	IEC 62321-6:2015	GC-MS
Phthalates (DBP, BBP, DEHP, DIBP) #	IEC 62321-8:2017	GC-MS

Hotline:400-6788-333 www.cti-cert.com E-mail:info@cti-cert.com Complaint call:0755-33681700 Complaint E-mail:complaint@cti-cert.com



Report No. A2200138061101001 **Test Result(s)**

Page 3 of 7

Tested Item(s)	Result	MDL
Lead(Pb)	N.D.	2 mg/kg
Cadmium(Cd)	N.D.	2 mg/kg
Mercury(Hg)	N.D.	2 mg/kg
Hexavalent Chromium(Cr(VI))#	N.D.	8 mg/kg
Tested Item(s)	Result	MDL
Polybrominated Biphenyls(PBBs) #		·
Monobromobiphenyl	N.D.	5 mg/kg
Dibromobiphenyl	N.D.	5 mg/kg
Tribromobiphenyl	N.D.	5 mg/kg
Tetrabromobiphenyl	N.D.	5 mg/kg
Pentabromobiphenyl	N.D.	5 mg/kg
Hexabromobiphenyl	N.D.	5 mg/kg
Heptabromobiphenyl	N.D.	5 mg/kg
Octabromobiphenyl	N.D.	5 mg/kg
Nonabromobiphenyl	N.D.	5 mg/kg
Decabromobiphenyl	N.D.	5 mg/kg
Tested Item(s)	Result	MDL
Polybrominated Diphenyl Ethers (PBDEs) #		
Monobromodiphenyl ether	N.D.	5 mg/kg
Dibromodiphenyl ether	N.D.	5 mg/kg
Tribromodiphenyl ether	N.D.	5 mg/kg
Tetrabromodiphenyl ether	N.D.	5 mg/kg
Pentabromodiphenyl ether	N.D.	5 mg/kg
Hexabromodiphenyl ether	N.D.	5 mg/kg
Heptabromodiphenyl ether	N.D.	5 mg/kg
Octabromodiphenyl ether	N.D.	5 mg/kg
Nonabromodiphenyl ether	N.D.	5 mg/kg
Decabromodiphenyl ether	N.D.	5 mg/kg



Report No. A2200138061101001

Page 4 of 7

Test Result(s)

Tested Item(s)	Result	MDL
Phthalates (DBP, BBP, DEHP, DIBP) #		
Dibutyl phthalate(DBP) CAS#:84-74-2	N.D.	50 mg/kg
Butyl benzyl phthalate(BBP) CAS#:85-68-7	N.D.	50 mg/kg
Di-(2-ethylhexyl) phthalate(DEHP) CAS#:117-81-7	N.D.	50 mg/kg
Diisobutyl phthalate(DIBP) CAS#:84-69-5	N.D.	50 mg/kg

Sample/Part Description

Mixed test, all parts

Remark:

- -The sample(s) had been dissolved totally tested for Lead, Cadmium, Mercury.
- -As specified by client, the test was conducted by mixing several samples together. The result(s)
- shown on this report may be different from the content of any homogeneous material.
- -MDL = Method Detection Limit
- -N.D. = Not Detected (< MDL)
- -mg/kg = ppm = parts per million

Note:


-#Indicates the item(s)/method(s) is (are) not in CNAS accreditation scope.



Report No. A2200138061101001

Page 5 of 7

Test Process




3. Hexavalent Chromium(Cr(VI))

Make up with

deionized water


Analyzed by

ICP-OES



Solution

4. Polybrominated Biphenyls(PBBs), Polybrominated Diphenyl Ethers (PBDEs)








Report No. A2200138061101001

Page 6 of 7

5. Phthalates (DBP, BBP, DEHP, DIBP)








Report No. A2200138061101001

Page 7 of 7

Photo(s) of the sample(s)



*** End of report ***

Statement:

- 1. This report is considered invalid without approved signature, special seal and the seal on the perforation;
- 2. The sample(s) and sample information was/were provided by the client who should be responsible for the authenticity which CTI hasn't verified;
- 3. The result(s) shown in this report refer(s) only to the sample(s) tested;
- 4. Without written approval of CTI, this report can't be reproduced except in full;
- 5. In case of any discrepancy between the English version and Chinese version of the testing reports (if generated), the Chinese version shall prevail.